



2019







## OUTDOOR POWER EQUIPMENT

---

40V & 120V Cordless Tools Intro . . . . .	OPE 6–7
40V MAX* Cordless Tool System . . . . .	OPE 8–9
PowerNow™ Lithium Ion Battery Packs . . . . .	OPE 10
Cordless Multi-Attachment System . . . . .	OPE 11–14
CS300 40V MAX* Chainsaw . . . . .	OPE 15
LM300 40V MAX* Lawn Mower . . . . .	OPE 16
LM400 40V MAX* Lawn Mower . . . . .	OPE 17
BL300 40V MAX* Hand-Held Blower . . . . .	OPE 18
ST275-GSL 40V MAX* Trimmer/Edger . . . . .	OPE 19
PS250 40V MAX* Pole Saw . . . . .	OPE 20
HT250 40V MAX* Hedge Trimmer . . . . .	OPE 21
WL275 40V MAX* Portable Light . . . . .	OPE 22
40V MAX* Accessories . . . . .	OPE 23
CS1400 & CS1500 Corded Chainsaws . . . . .	OPE 24
Replacement Parts . . . . .	OPE 24–27
Point of Purchase Displays . . . . .	OPE 27–29

120V Professional Series Intro . . . . .	OPE 30–31
BL120VX Leaf Blower . . . . .	OPE 32
ST120VX String Trimmer . . . . .	OPE 33
EG120VX Edger . . . . .	OPE 34
EHT120VX Hedge Trimmer . . . . .	OPE 35
Battery Pack, Batteries, & Charging . . . . .	OPE 36–37

Log Splitter Family . . . . .	OPE 38
22-Ton Log Splitter . . . . .	OPE 39
28-Ton Log Splitter . . . . .	OPE 40
28-Ton Log Splitter with EXtend Split™ . . . . .	OPE 41
35-Ton Log Splitter . . . . .	OPE 42
Kinetic Log Splitter . . . . .	OPE 44–45
Log Splitter Replacement Parts . . . . .	OPE 46–47



# Outdoor Power Equipment



## 40V Cordless Product Line

Pull the trigger for instant start with constant no-fade power and long run time. Cleaner, quieter, and free from the hassles of gasoline or corded power, Oregon Cordless Tools are engineered to work the way you want, when you want. With the 40V Max\* Lithium-Ion battery platform, you have all the power and run time you need to get the job done.

### THE OREGON ADVANTAGE:

- Ergonomically designed. Light and optimal balance for less fatigue
- Low noise and easy to use
- Hassle free with low maintenance
- High performance to tackle the toughest jobs
- Versatile battery and charger platform works with all tools
- A full comprehensive line allows you to complete all the jobs you need done—from tree and hedge trimming to grass cutting, leaf blowing and general yard cleanup

*See pages 8–29*





## 120V Professional Series™

The Oregon 120V Professional Series was developed specifically with the professional landscaper in mind. The platform combines cutting-edge technologies to finally offer the power and durability of traditional tools with all the advantages of battery power. With the ability to run a full day of real commercial work with minimal, if any, need for a fresh battery, this equipment provides the muscle needed to finish the job.

### THE OREGON ADVANTAGE:

- Battery capacity for a full day's work
- Efficient brushless electric power to match gas
- Smart controller to manage tool performance – automatically
- IP56 weather-ready rating to withstand life in the outdoors rain or shine
- Integrated dashboards communicate charge level and equipment diagnostics
- Advanced noise and vibration damping technology integrated into all tools
- Robust build quality to endure real professional-grade use

*See pages 30–37*



**40V**  
MAX  
LITHIUM-ION

## Oregon® Cordless Tool System

### INSTANT START

- No Pull Cords
- No Warm-Up Required
- No Gas-Oil Mixing

### COMFORT AND CONTROL

- Ergonomic Design
- Light-Weight and Balanced
- Low Vibration

### LOW NOISE

- Significantly Quieter than Gas-Powered Motors
- Silent Between Cuts/Trimming
- Start Early and Work Late

### ZERO EMISSIONS

- Environmentally Friendly
- No Gas Fumes

### LESS DOWN TIME

- Fewer Repairs Needed (Compared to Gas Engines)



**HEDGE TRIMMING**



**YARD CLEANING**

**110V**  
Corded



See page 24



**WL275**



# A Better Yard Starts Here



**ONE BATTERY,  
ONE POWERFUL SYSTEM**



**WOOD CUTTING**



CS300



PS250



PS600




EX600



ST600



ST275-GSL



**GRASS CUTTING**



LM400



LM300

# Outdoor Power Equipment

## PowerNow™ Lithium Ion Battery Packs

The Oregon® battery platform provides all the power you need to get the job done. Our PowerNow premium cell technology ensures a long run time. Superior construction makes all our batteries rugged and durable.

### PREMIUM CELL TECHNOLOGY

Light-weight premium cells combine reliable performance & energy capacity.

### CONSTANT NO-FADE POWER

Maintain constant power through discharge.

### RETAINS CHARGE

Retains a charge even after months of storage.

### CONSISTENT CAPACITY

Charge maintenance and full discharge is not necessary to retain consistent capacity throughout the life of the battery (no memory effect).



**2.6 Ah = up to 325 cuts**  
2"-3" diameter wood on the PS250 Pole Saw



### B425E

OREGON	Description
585527	Battery Pack, 2.6 Ah, Model B425E



**4.0 Ah = up to 500 cuts**  
2"-3" diameter wood on the PS250 Pole Saw



### B600E

OREGON	Description
548208	Battery Pack, 4.0 Ah, Model B600E



**6.0 Ah = up to 750 cuts**  
2"-3" diameter wood on the PS250 Pole Saw



### B650E

OREGON	Description
583684	Battery Pack, 6.0 Ah, Model B650E



### C650 Battery Charger

OREGON	Description
594076	Replacement C650 - Charger



### C750 Rapid Battery Charger

OREGON	Description
548185	Replacement C750 - Rapid Charger

	C650 Standard Charger	C750 Rapid Charger
B425E	90 min.	30 min.
B600E	140 min.	60 min.
B650E	240 min.	90 min.



## Cordless Multi-Attachment System

A versatile and powerful system designed for homeowners wanting to save time and money. The Oregon® Multi-Attachment System puts you in charge — choose only the attachments you need and build a customized system for you and your yard. The Oregon attachments work seamlessly with the Powerhead, and the brushless motor delivers sustainable power. Within seconds, you can switch from pruning your trees to trimming the grass around your flower bed.

### POWERFUL

- Brushless motor delivers more power and enhanced torque for higher efficiency.
- Plenty of power to trim and edge a large yard.
- Consistent lithium ion performance.

### EFFICIENT

- A single power source — no need to maintain multiple gas engines.
- Use any Oregon 40V MAX\* battery.

### VERSATILE

- One system that uses your choice of Oregon interchangeable attachments.
- Seamlessly switch from high-volume jobs to precision work.
- Swap out one tool for another within seconds.

### STORABLE

- Takes up less space in your garage or shed.
- Fits easily in a truck bed or cargo space.
- Lighter weight makes it easy to move.



**1 Powerhead**  
**4 Attachments**



POLE SAW

STRING TRIMMER

EDGER

EXTENDED  
HEDGE TRIMMER

# Outdoor Power Equipment



## Cordless Multi-Attachment System PH600 Powerhead



OREGON	Description
590986	Multi-Attachment Powerhead - Tool only no attachment, no battery, no charger
594067	Multi-Attachment Powerhead - E6 Kit 2.6 Ah battery, standard charger
594068	Multi-Attachment Powerhead - A6 Kit 4.0 Ah battery, standard charger
594075	Multi-Attachment Powerhead - R7 Kit 6.0 Ah battery, rapid charger

### SPECIFICATIONS

- Brushless motor
- Compatible with all Oregon 40V MAX\* batteries
- Variable speed trigger
- Transportation lock out
- Harness included
- Weighs 9.7 lbs (with battery)

## PS600 Pole Saw - 590990



6.0 Ah = up to 750 cuts  
4.0 Ah = up to 500 cuts  
2.6 Ah = up to 325 cuts



### SPECIFICATIONS

- 10" Oregon bar
- 1/4 pitch Oregon chain 25AP
- Length 6'8"
- Length with EX600 extension 8'11"
- Oil tank capacity 3.4 oz (100 ml)
- Only 4 lbs

## EX600 Extension- 590988



### SPECIFICATIONS

- For Oregon Hedge Trimmers and Pole Saw Multi-attachments
- 28" (70 cm)
- Only 1.4 lbs



## Cordless Multi-Attachment System

### HT600 Extended Hedge Trimmer - 590991



6.0 Ah = 65 to 70 min  
4.0 Ah = 45 to 50 min  
2.6 Ah = 30 to 35 min



#### SPECIFICATIONS

- 15" (38 cm) blade
- Length 7'4"
- Length 9'7" with EX600 extension
- 3/5" (15 mm) tooth spacing
- 120° rotation, 7 positions
- Only 5.5 lbs

### ST600 String Trimmer- 590992



6.0 Ah = up to 30 min  
4.0 Ah = up to 20 min  
2.6 Ah = up to 15 min



#### SPECIFICATIONS

- 14" (36 cm) cutting diameter
- Gator® SpeedLoad™ head
- .080" Gator SpeedLoad line
- 5500 r/min.
- Only 3.7 lbs

### EG600 Edger - 590989



6.0 Ah = up to 250 yards  
4.0 Ah = up to 150 yards  
2.6 Ah = up to 100 yards



#### SPECIFICATIONS

- 8" (20 cm) cutting blade
- Oregon blade
- Only 5 lbs

# Outdoor Power Equipment

## How to Choose Your System

### #1 PICK YOUR POWER KIT

**Powerhead**  
Tool Only  
If you already  
have an Oregon®  
battery and  
charger

**Powerhead kit E6**  
Powerhead  
2.6 Ah Battery  
Standard Charger



**Powerhead kit A6**  
Powerhead  
4.0 Ah Battery  
Standard Charger



50% more run time  
than the E6 kit

**Powerhead kit R7**  
Powerhead  
6.0 Ah Battery  
Rapid Charger



130% more run time  
than the E6 kit and  
faster recharge time  
with the rapid charger

### #2 PICK YOUR ATTACHMENTS



PS600

ST600

EG600

HT600

### ACCESSORIES

Get an extension (\$39) for your Multi-Attachment Pole Saw  
and Multi-Attachment extended Hedge Trimmer.





CS300 Chainsaw



6.0 Ah = up to 600 cuts  
4.0 Ah = up to 400 cuts  
2.6 Ah = up to 250 cuts  
In 2"-3" material.



The Oregon® chainsaw starts instantly and easily cuts through trees and tree limbs. The brushless motor delivers a powerful combination of speed and torque, and our premium 40V MAX\* battery ensures zero emissions. Sharpen the chain in seconds with the built-in PowerSharp® system.

HIGH-PERFORMANCE

The chainsaw's innovative brushless motor delivers high power and torque. You can quickly and easily adjust the chain with the tool-less tensioner.

ONBOARD POWERSHARP

Sharpen on the saw, and on the job, in seconds.™

ERGONOMICALLY DESIGNED

Weighing only 12 lbs, the chainsaw is designed to distribute weight evenly for easy handling.

SPECIFICATIONS

- 16" (40 cm) bar length.
- Automatic oiler with 4.1 oz tank capacity.
- No load chain speed 2796 fpm.
- Only 12 lbs (with battery).

OREGON	Description
572627	Chainsaw CS300 - Tool Only 40V MAX* chainsaw, 16" (40 cm) guide bar, PowerSharp chain
572626	Chainsaw Kit CS300 - E6 2.6 Ah battery, standard charger
572625	Chainsaw Kit CS300 - A6 4.0 Ah battery, standard charger
586622	Chainsaw Kit CS300 - R7 6.0 Ah battery, rapid charger

PowerSharp Sharpening System

With the built-in PowerSharp sharpening system, there's no more downtime due to dull chain. Simply pull the PowerSharp lever for 3–5 seconds and the chain works like new. PowerSharp: sharpen on the saw, on the job, in seconds.

(see pages 136-137 of the FOR section of the catalog for more detail)



# Outdoor Power Equipment

## LM300 Lawn Mower



6.0 Ah = up to 7000 ft<sup>2</sup>  
4.0 Ah = up to 5000 ft<sup>2</sup>  
Works with all Oregon batteries



The LM300 cuts large grass areas quickly and efficiently. The instant start and 6 adjustable cutting positions allow you to work in every season and on every type of lawn. The brushless motor, battery, and debris bag give you the power and capacity to clear your yard easily and efficiently.

### GREAT FOR SMALL TO MEDIUM YARDS

The LM300 starts instantly and makes cutting time more enjoyable. The brushless motor offers a combination of high-torque and efficiency, offering a quality cut and long run time (up to 7000 ft<sup>2</sup> with a full battery charge).

### LIGHT-WEIGHT/OPTIMAL BALANCE

The LM300 is light-weight (only 35.9 lbs with battery) and perfect for mowing around flower beds.

OREGON	Description
591083	Lawn Mower LM300 - Tool only
591082	Lawn Mower Kit LM300- A6 4.0 Ah battery, standard charger
591081	Lawn Mower Kit LM300 - R7 6.0 Ah battery, rapid charger

### SPECIFICATIONS

- Brushless motor
- 16" (40 cm) cutting width
- 13.2 gal (1.4 bushel) debris bag
- 35.9 lbs with battery
- 6 Cutting positions



16" (40 cm) cutting width



Easily adjust cutting height



13.2 gal debris bag

## NEW LM400 Lawn Mower



6.0 Ah = up to 10,000 ft<sup>2</sup>  
4.0 Ah = up to 7,000 ft<sup>2</sup>

With two batteries  
Works with all Oregon batteries



Vertical  
Storage  
Position

Oregon's new LM400 Lawn Mower possesses the power capacity to cut any residential yard. The LM400's tough steel deck gives it the muscular look of a gas mower — without emissions and excess noise. The LM400 can run on only one battery, but it has the capacity for two — which the convenience of extended run time. The LM400 has a vertical storage position, so it will take up minimal space in your garage.


OREGON	Description
591080	Lawn Mower LM400 - Tool only
591079	Lawn Mower Kit LM400 - A6 4.0 Ah battery, standard charger
591078	Lawn Mower Kit LM400 - R7 6.0 Ah battery, rapid charger
591077	Lawn Mower Kit LM400 - X7 Two 4.0 Ah batteries, rapid charger

### HIGH PERFORMANCE

Cut more grass with fewer passes. The LM400's brushless motor delivers enhanced torque that allows you to cut high grass and tough vegetation on rough terrain. The LM400's 20" cutting diameter offers a wider cut for larger yards.

### SPECIFICATIONS

- Brushless motor
- Steel deck
- 20" (51 cm) cutting width
- 15.9 lbs with one battery
- Vertical storage position
- Dual battery for extended run times
- 6 cutting positions
- Bagging / rear discharge / side discharge



20" (51 cm) cutting width



Dual battery: Operates with  
1 or 2 batteries



Side discharge



# Outdoor Power Equipment

## BL300 Hand-Held Blower



**6.0 Ah = up to 120 min.**

When running on the lowest trigger setting,  
22 min on full trigger, 12 min on turbo button

**4.0 Ah = up to 90 min.**

When running on lowest trigger setting 15 min,  
on full trigger 8 min, on turbo button



Large areas of leaves and debris can be easily cleared away with the Oregon® Cordless Blower. The combination of superior air volume, (up to 507 cfm) and speed (up to 131.5 mph) make this the ultimate debris-clearing machine. The cordless blower's low decibel rating, ergonomics, and portability make it an ideal tool for all-day jobs.

OREGON	Description
572619	Blower BL300 – Tool Only
572621	Blower Kit BL300 – A6 4.0 Ah battery, standard charger
586646	Blower Kit BL300 – R7 6.0 Ah battery, rapid charger

### LOW NOISE

The BL300 offers a powerful, low noise solution to clean-up and debris removal. With only 64.6 dB (bystander measure) on Turbo mode, the BL300 allows you to get the job done, without bothering your neighbors.

### HIGH-PERFORMANCE

The innovative brushless motor and axial fan offer a powerful combination of performance and efficiency. The variable speed trigger allows the user to stay in complete control by only using the power required by the job. The Cordless Blower delivers up to 507 cfm of air per hour.

### ERGONOMICALLY DESIGNED

The Cordless Blower is designed for extended use. The comfortable handle and shoulder strap make it ideal for large areas.

### SPECIFICATIONS

- Only 8.9 lbs (with battery).
- Superior air volume (up to 507 cfm of air per hour).
- Exceptional air speed (up to 131.5 mph).
- Variable speed trigger.



Well balanced



Convenient built-in holes  
(strap included)



Turbo button and variable  
speed trigger

## ST275-GSL Trimmer/Edger



6.0 Ah = approx. 45–60 min.  
4.0 Ah = up to 30–40 min.  
2.6 Ah = up to 20–30 min.

Depending on material being cut and user technique



Cut through tough vegetation and beautify your landscape; the Trimmer/Edger's patented gear drive technology allow you to do both.

OREGON	Description
582152	Trimmer / Edger ST275 - Tool Only With Gator SpeedLoad trimmer head
590498	Trimmer / Edger Kit ST275 - E6 2.6 Ah battery pack, standard charger
581207	Trimmer / Edger Kit ST275 - A6 4.0 Ah battery pack, standard charger
586726	Trimmer / Edger Kit ST275 - R7 6.0 Ah battery pack, rapid charger

### 2-IN-1 TRIMMER / EDGER

Switch quickly from trimmer to edger.

### HIGH TORQUE AND POWER

Patent gear drive technology provides high performance and torque to cut through thick vegetation. The variable throttle allows the user to maintain control.

*US patent numbers 6,301,788 and 6,014,812 used under license.*

### ERGONOMICALLY DESIGNED

- Designed for comfort and extended use.
- Sling included to help reduce operator fatigue.

### SPECIFICATIONS

- Only 9.4 lbs (with battery).
- 13" cutting diameter
- 6250 rpm no-load cutting speed.
- Gator® SpeedLoad™ trimmer head

## Gator SpeedLoad Head

**FAST.** Fastest loading system ever. Reduce the whole process from 5 minutes to a few seconds.

**EASY.** Open the head. Place the disc. Close the head.

**DURABLE.** Long lasting heat-treated disc, twice as long as standards lines.



# Outdoor Power Equipment

## PS250 Pole Saw



6.0 Ah = up to 750 cuts  
4.0 Ah = up to 500 cuts  
2.6 Ah = up to 325 cuts  
In 2" - 3" material



The Oregon® Pole Saw gives you precision, power, and a telescoping reach for all trimmming and pruning jobs. The shaft allows up to 14'-15' of access, while the premium battery pack and mid-mount motor provide you with the longevity and comfort for a long day's work.

OREGON	Description
563456	Pole Saw PS250 - Tool Only 40V MAX* pole saw, 8" (20 cm) guide bar, Microlite™ narrow kerf chain
563455	Pole Saw Kit PS250 - E6 2.6 Ah battery, standard charger
563454	Pole Saw Kit PS250 - A6 4.0 Ah battery, standard charger
586642	Pole Saw Kit PS250 - R7 6.0 Ah battery, rapid charger

### EXTENDABLE REACH

Extend up to 10'2" (3.1 mm) for a reach of up to 14'-15' (4.5m) from the ground level.\*\*

### MID-MOUNT MOTOR

The mid-mount motor places the pole saw's weight (and size) between your hands. This reduces the size of the cutting head — making it easier to reach hard-to-reach-cuts, and reduces the weight at the end of the pole — improving ergonomics and reducing fatigue.

### ERGONOMICALLY DESIGNED

In addition to the mid-mount motor, the pole saw weighs only 13.5 lbs with the battery, which means better balance and less fatigue. A shoulder strap is included for additional comfort.

### SPECIFICATIONS

- Only 13.5 lbs (with battery).
- Chain speed: 2817 fpm.
- 3/8" Microlite narrow kerf 90PX chain.
- 8" (20 cm) bar.

\*\*Based on estimate for a 5'10" (1.8 m) individual operating at a 60 degree angle + / - 18 degrees.



Slim, compact head



Mid-mount motor



Adjustable collar



Branch hook



HT250 Hedge Trimmer



6.0 Ah = up to 150 min.  
4.0 Ah = up to 100 min.  
2.6 Ah = up to 60 min.  
Depending on material being cut and user technique.



The Oregon® Hedge Trimmer is light enough for you to tackle tall and wide hedges as well as rows of smaller hedges. The laser-cut blades will cut neat and precise formations while maintaining the health of the plants.

26" (60 CM) LASER-CUT BLADES

Laser-cut blades mean cleaner cuts and healthier plants, while the low noise (74 dB) offers a combination of superior performance and operator comfort.

ERGONOMICALLY DESIGNED

Large, comfortable handles. Dual action design for low vibration.

SPECIFICATIONS

- Only 9.8 lbs (with battery).
- 2750 strokes per minute maximum cutting speed.
- Cuts up to a 3/4" branch.
- Variable speed trigger.

OREGON	Description
551275	Hedge Trimmer HT250 - Tool Only
558812	Hedge Trimmer Kit HT250 - E6 2.6 Ah battery, standard charger
585212	Hedge Trimmer Kit HT250 - A6 4.0 Ah battery, standard charger
567040	Hedge Trimmer Kit HT250 - A7 4.0 Ah Battery, Rapid Charger

Premium Blade Technology

Engineered with premium blade technology to outlast the competition. Rugged and durable, the Oregon HT250 Hedge Trimmer's blades are perfect for trimming and sculpting.



# Outdoor Power Equipment

## WL275 Portable Light



6.0 Ah = approx. 36 hrs. on LOW  
6.0 Ah = approx. 18 hrs. on HIGH  
AC Power Cord = Continuous run time



Battery not included. Works with any Oregon Cordless 40V MAX battery pack.

The Oregon® Portable Light keeps work sites illuminated well after the sun sets. Our unique power options give you the flexibility to choose between the included AC power cord or inserting an Oregon PowerNow™ Battery Pack.

### HIGH-PERFORMANCE

1091 Lumens / 12 hours on HIGH  
584 Lumens / 24 hours on LOW

### PORTABLE

Use the provided AC power cord or go portable with any Oregon Cordless Tool System Battery Pack.

### DURABLE AND CONVENIENT

The durable frame and multiple angle adjustments offer ideal work site performance.

OREGON	Description
581611	LED Portable Light WL275 - Tool Only

### Multiple adjustments for 90°+ light angle options

*\* Fully charged battery voltage measured without a workload is 40 volts. Nominal voltage is 36 or 37 depending on battery used.*



## Chainsaw Tool Bag



The Tool Bag is designed to protect, carry, and store an Oregon chainsaw or blower with accessories.

- Internal lining and outside pocket is water and oil resistant
- Rugged construction resists abrasion and wear
- Extra-large, wide-mouth opening for easy access and visibility
- 7 internal and 2 external pockets neatly organize your battery, charger, and other accessories
- 27" L x 12" W x 12" H (68.6 cm x 30.5 cm x 30.5 cm)
- Comfortable fitting and light weight

OREGON	Description
551276	Tool Carry Bag

## Back Pack



The Backpack is ideal to carry extra batteries, or use it for your computer/tablet:

- Size: 13.5" x 4" x 19"
- Laptop & Tablet pocket inside
- Reflectives on front and strap

OREGON	Description
593441	Backpack



# Outdoor Power Equipment

## Corded Chainsaws



**CS1500**  
The only self-sharpening  
corded electric chainsaw  
on the market

**CS1400**

Oregon's high-power, 15 amp CS1500 chainsaw is the only corded electric chainsaw on the market with a chain that can sharpen itself. The CS1500 has all the traditional conveniences of an electric saw — instant start with the pull of a trigger, minimal maintenance, low noise and silent between cuts — and takes it one step further by incorporating the built-in PowerSharp® chain sharpening system.

15 amp CS1400 chainsaw offer all the benefit of the CS1500 except that the PowerSharp system is replaced by an Oregon ControlCut high performance chain. + 33% longer semi Chisel cutters, suitable for all-day cutting. Low vibration, kick-back reduction. CS1400 is available with a 16" guide bar

### INSTANT START

- No pull cords
- No warm up
- No gas-oil mixing
- No emissions

### LOW NOISE

- Much quieter than a gas saw
- Silent between cuts

### ERGONOMIC DESIGN

- Light-weight and balanced
- Low vibration
- Over-mold comfort handle

### SPECIFICATIONS

- Bar length: CS1500: 18" (45cm); CS1400: 16" (40cm)
- CS1500: PowerSharp chain, 3/8 in. Low Profile® with .050" gauge
- CS1400: ControlCut 91PXL056G chain, 3/8 in. with .050 gauge
- Automatic oiler with view-through window
- 15 amp rating
- 120 Volt ~ 60 Hz
- No load chain speed 2888 FPM
- Weighs 12.9 lbs (5,85 kg)

OREGON	Description
603352	Self-Sharpening Electric Chainsaw, Model CS1500 Includes: chainsaw, 18" guide bar, and PowerSharp chain. Fully assembled
603353	Self-Sharpening Electric Chainsaw, Model CS1500 Includes: chainsaw, 18" guide bar, and PowerSharp chain. Shorter box, semi-assembled
603348	Electric Chainsaw, Model CS1400 Includes : chainsaw, 16" guide bar, and ControlCut chain. Short box, semi-assembled

## PowerSharp Sharpening System

With the built-in PowerSharp Sharpening System, there's no more downtime due to dull chain. Simply pull the PowerSharp lever for 3 – 5 seconds and the chain works like new. With PowerSharp, you can sharpen on the saw, on the job, in seconds®.

(see pages 136-137 of the FOR section of the catalog for more detail)



## PowerSharp® Saw Chain for CS250, CS300 & CS1500



The Oregon PowerSharp® sharpening system means no more downtime due to dull chain. PowerSharp allows you to sharpen on the saw, on the job, in seconds®.

- Sharpens in 3 – 5 seconds
- No extra tools needed for sharpening
- 10 – 20 sharpenings per chain
- 3/8" Low Profile™ / .050" gauge

OREGON	Description
560507	CS250, CS300 Replacement 14" (35 cm) PowerSharp Saw Chain (includes sharpening stone)
560510	CS300, CS1500 Replacement 16" (40 cm) PowerSharp Saw Chain (includes sharpening stone)
571037	CS1500 Replacement 18" (50 cm) PowerSharp Saw Chain (includes sharpening stone)

## Saw Chain for PS250



OREGON	Description
90PX034G	8" (20 cm) Replacement Saw Chain • Micro-Lite™, Narrow Kerf

## Saw Chain for PS600



OREGON	Description
25AP058G	10" (25 cm) Replacement Saw Chain • Micro Chisel®

## Saw Chain for CS1400



OREGON	Description
91PXL056G	16" (40cm) Replacement Saw Chain, ControlCut chain.

## Guide Bar for CS250, CS300 & CS1500



OREGON	Description
140SDEA041	14" (35 cm) Replacement Guide Bar - Model CS250, CS300
160SDEA041	16" (40 cm) Replacement Guide Bar - Model CS300, CS1500
180SDEA041	18" (50 cm) Replacement Guide Bar - Model CS1500

## Guide Bar for PS250, PS600



OREGON	Description
084MLEA041	8" (20 cm) Replacement Guide Bar - Model PS250
100SDAA041	10" (25 cm) Replacement Guide Bar - Model PS600

# Outdoor Power Equipment

## ST275 Gator® SpeedLoad™ Replacement Trimmer Head Kit



**4-1/4" Gator SpeedLoad Trimmer Head for ST275**  
Use with Oregon ST275 Cordless Trimmer/Edger. Complete kit contains adaptor and shield for mounting on ST275 only. Cannot be used on ST250. Use with Oregon small diameter replacement discs.

OREGON	Description
581647	ST275 GSL Replacement Head Kit (For ST275 only, includes grass wrap shroud)

## ST600 Gator® SpeedLoad™ Replacement Trimmer Head Kit



**4-1/4" Gator SpeedLoad Trimmer Head for ST600**  
Use with Oregon ST600 String Trimmer attachment. Complete kit contains adaptor and shield for mounting on ST600 only. Cannot be used on ST250 or ST275-GSL. Use with Oregon 0.080" Gator SpeedLoad replacement discs.

OREGON	Description
595897	ST600 Replacement Head Kit (For ST600 only, includes grass wrap shroud)

## .080" Replacement Trimmer Line Gator SpeedLoad



OREGON	Description
24-280-03	(3) – 0.080" (2.4 mm), Small Diameter Disks
24-280-10	(10) – 0.080" (2.4 mm), Small Diameter Disks
24-280-25	(25) – 0.080" (2.4 mm), Small Diameter Disks

## ST275 Quick Load Replacement Trimmer Head



This quick loading trimmer head was designed specifically for use with the Oregon® ST275 Trimmer/Edger. The head has many exclusive features to improve run time, reduce noise, and improve cutting performance.

- Comes loaded with .080" Oregon Platinum Gatorline™
- Easy line loading without taking apart the head
- Bump knob is designed to reduce accidental bumping, feeding line only when you need it
- Spool holds up to 12 ft. (30.5 cm) of .080" trimmer line

OREGON	Description
564849	ST275 quick loading replacement trimmer head with line Bump feed, easy load, 2 line.



## .080" Platinum Gatorline™ Trimmer Line



Platinum Gatorline solves many of the problems of traditional trimmer line. The armored exterior is more resistant to breakage and also shields a highly flexible co-polymer core for outstanding durability.

- Consistent line diameter
- Armored exterior
- Flexible core
- SuperTwist®

OREGON	Description
20-117	1/2 lb. Donut, Approximately 207 ft. (63.1 m)
20-118	1 lb. Donut, Approximately 414 ft. (126.2 m)
20-119	3 lb. Spool, Approximately 1244 ft. (379.2 m)

## Point of Purchase Display



### MULTI-ATTACHMENT DISPLAY KIT 603717 D

Get your shed or garage organized with the Oregon Multi-Attachment display.

- The kit includes one header, one hook for PH600 Powerhead and 3 hooks for attachments
- 3 adaptors are included to hang the display on wire grid, slatwall, pegboard, or wall
- 23" W x 8" H

OREGON	No.	Component	QTY.
598136	A	Display Frame	1
598138	B	Attachment Hook	1
598137	C	Powerhead Hook	1
603717	D	Multi-Attachment Display Kit - End Users	1



# Outdoor Power Equipment

## Point of Purchase Display



### 3-PANEL DISPLAY KIT

The triple panel, 2' x 6' x 11", black, triangular SlatGrid display offers the ultimate solution for displaying Oregon Cordless Tool System. The kit comes with custom hooks for hanging the BL300, HT250, PS250 and ST275, as well as 2 shelves that can be used to showcase the CS300 Chainsaw and the WL275 Portable Light.


OREGON	Description
560842	OCTS 3 Panel Display Kit
Qty	Kit Components
3	OCTS 24"x72" Slatgrid, BL
3	OCTS 22"x7" Sign Holder, BL
3	OCTS Slatgrid 22"x7" Sign
2	OCTS Slatgrid ST Hook, BL
1	OCTS Slatgrid HT Hook, BL
1	OCTS Slatgrid BL Hook, BL
1	OCTS Slatgrid PS Hook, BL
3	OCTS Slatgrid Lit 8.5"x11", BL
1	OCTS 23.5"x13.5" Shelf, BL
1	OCTS 12"x8" Self, BL
9	OCTS Grid Clip, BL
10	4" Peg hook, BL

### INDIVIDUAL COMPONENTS

Available for individual order to enhance existing displays.

OREGON	No.	Component	QTY.
560840	A	OCTS Slatgrid 22"x7" Sign	1
560831	B	OCTS 24"x72" Slatgrid, BL	1
560833	C	OCTS 22"x7" Sign Holder, BL	1
560834	D	OCTS Slatgrid Lit 8.5"x11", BL	1
561214	E	OCTS 12"x8" Shelf, BL	1
560838	F	OCTS 12"x24" Basket, BL	1
560839	G	OCTS 23.5"x13.5" Shelf, BL	1
561215	H	OCTS 6" Peg Hook, BL	1
574431	I	OCTS Slatgrid BL Hook, BL	1
560837	J	OCTS Slatgrid ST Hook, BL	1
560832	K	OCTS Slatgrid T Leg, Pair, BL	1
560830	L	OCTS Slatgrid L Leg, Pair, BL	1
566442	M	OCTS Slatgrid PS Hook, BL	1
560836	N	OCTS Slatgrid HT Hook, BL	1
561218	O	OCTS Grid Clip, BL	1
560829	P	OCTS Slatgrid Tri-Base, BL	1
561249	Q	OCTS Slatgrid Pinwheel, BL	1

Point of Purchase Display





# Outdoor Power Equipment



# 120V Professional Series™

## THIS IS REAL POWER

Many cordless products have been labeled professional-grade, but cordless power has never measured up to the performance of traditional, commercial gas equipment—until now. The new Oregon 120V Professional Series is engineered with up to 15% more power than gas-fueled equipment—driving more productivity than ever before.

Introducing Oregon Professional Series—The next evolution of battery technology.

### Professional Grade Cordless Equipment

Finally, there's a line of professional-grade tools that offer all the benefits of battery, without sacrificing power, performance, or durability.

### Quietly Powerful

Engineered from the ground up with low noise in mind, these tools have been designed so your work can be seen and not heard.

### More Power and Torque

Engineered to offer up to 15% more power than gas-fueled equipment.

### Weather Ready

With an IP56 rating, water and dust seals on electrical connections and components mean these tools are ready to work, rain or shine.

### Increased Productivity

Efficient power offers extended run times with no refueling stops, while ultra-quiet operation allows early start times at noise-sensitive sites.


### Commercial-Grade Durability

Tested tough to endure the rigours of professional use.


# Outdoor Power Equipment

## BL120VX Leaf Blower


Built to get the job done quickly and quietly with an amazing max-bystander-noise-rating of 59dB(A) for noise-restricted sites, the zero-emission BL120VX was engineered with the professional in mind. With a variable speed trigger, fatigue-reducing throttle lock and a blow force rating of 22N, you're ready for real work.




OREGON	Description
BL120VX-NA	Backpack Blower




1400 W



UL & IP56



≤ 45 Min.  
Continuous at  
full trigger



22 N  
200 MPH  
526 CFM



### Specifications

Tool Weight <i>Without Battery</i>		20.5 lbs.
Run Time <i>With BX975 Battery at Full Trigger</i>	Stealth Mode	45 minutes
	High Output	30 minutes
Power Output	Watts	1400 W
	Newtons	22 N
Speed	Stealth Mode	175 MPH
	High Output	200 MPH
Air Volume	High Output	526 CFM
Noise level <i>ANSI B175.2 bystander rating</i>	Stealth Mode	57 dB(A)
	High Output	59 dB(A)

### Certifications

Ingress Protection	IP56
UL Certification	Yes
Emissions Certification	California Air Resource Board: Professional Grade Zero Emission Equipment

### Warranty

Commercial Grade	2-year
------------------	--------

# ST120VX String Trimmer

Designed to offer the professional uncompromising performance, the ST120VX delivers exceptional torque-to-power and a full 16.5" cutting swath. The backpack battery design eliminates weight on the tool, easing fatigue during long sessions. Whisper-quiet with zero emissions, the full line is weather-ready and tough enough to move with you from site to site.



OREGON

Description

ST120VX-NA String Trimmer



1200 W  
2.24 Nm



UL & IP56



≤ 4 Hours  
Continuous at  
Full Trigger



16.5"  
Cutting



## Cutting System

Professional grade Oregon® Lightning Load® bump-feed head with .095 Magnum Gatorline



## Specifications

Tool Weight		12.1 lbs.
Cutting Swath		16.5"
Tool Length		73.5"
Run Time <i>With BX975 Battery at Full Trigger</i>	Stealth Mode	4.0 hours
	High Output	2.3 hours
Power Output	Watts	1200 W
	Newton Meter (Nm)	2.24 Nm
Speed	Stealth Mode	4400 RPM
	High Output	5500 RPM
Noise level <i>ANSI B175.2 bystander rating</i>	Stealth Mode	52 dB(A)
	High Output	62 dB(A)

## Certifications

Ingress Protection	IP56
UL Certification	Yes
Emissions Certification	California Air Resource Board: Professional Grade Zero Emission Equipment

## Warranty

Commercial Grade	2-year
------------------	--------




EG120VX Edger

For clean edge lines the EG120VX edger delivers true commercial performance. Its 8" blade and heavy-duty gear box don't mind mixing it up with tough soil conditions, and it runs whisper-quiet with zero emissions. Designed for use in any weather, operators can get up to 7 hours of run time with the BX975 backpack battery using Stealth Mode™.




OREGON	Description
--------	-------------


EG120VX-NA	Edger
------------	-------




1200 W  
3.34 Nm



UL & IP56



≤ 7 Hours  
Continuous at  
Full Trigger



8"  
Blade



Specifications

Tool Weight		13.3 lbs.
Metal Blade		8"
Tool Length		74"
Run Time With BX975 Battery at Full Trigger	Stealth Mode	7.0 hours
	High Output	5.6 hours
Power Output	Watts	1200 W
	Newton Meter (Nm)	3.34 Nm
Speed	Stealth Mode	2948 RPM
	High Output	3685 RPM
Noise level ANSI B175.2 bystander rating	Stealth Mode	55 dB(A)
	High Output	58 dB(A)

Certifications

Ingress Protection	IP56
UL Certification	Yes
Emissions Certification	California Air Resource Board: Blue Sky

Warranty

Commercial Grade	2-year
------------------	--------

# EHT120VX Hedge Trimmer

The versatile EHT120VX Extended Hedge Trimmer offers quiet, zero-emissions trimming with the balance and power to handle professional jobs. The 20" blade, extended length, and full 130-degree rotating attachment head allow trimming the tops of tall and wide hedges and ground cover.



OREGON

Description

EHT120VX-NA Hedge Trimmer



1200 W  
8.64 Nm



UL & IP56



≤ 5.7 Hours  
Continuous at  
Full Trigger



## Specifications

Tool Weight		14.4 lbs.
Blade Length		20"
Articulation		130°/multiple positions
Tool Length		86"
Run Time <i>With BX975 Battery at Full Trigger</i>	Stealth Mode	5.7 hours
	High Output	4.0 hour
Power Output	Watts	1200 W
	Newton Meter (Nm)	8.64 Nm
Speed	Stealth Mode	2280 strokes/minute
	High Output	2950 strokes/minute
Noise level <i>ANSI B175.2 bystander rating</i>	Stealth Mode	54 dB(A)
	High Output	60 dB(A)

## Certifications

Ingress Protection	IP56
UL Certification	Yes
Emissions Certification	California Air Resource Board: Professional Grade Zero Emission Equipment

## Warranty

Commercial Grade	2-year
------------------	--------



# Battery Backpack

The Oregon Professional Series Softshell Backpack in black or safety yellow is engineered to carry the weight of the battery close to the operator's core, removing battery weight from the tool and improving productivity, maneuverability, and overall ergonomics.

OREGON	Description
BPBXOR01-UV	Backpack Black
BPBXS01-UV	Backpack Safety Yellow



BPBXOR01-UV

BPBXS01-UV

# 120V Lithium Ion Batteries

Oregon Professional Series batteries are engineered to offer the run time needed by professional landscapers. The large-capacity backpack design eliminates weight from the equipment, improving maneuverability and productivity. The BX975 battery packs 9.0 amp hours of capacity for 972 watt-hours of power; the BX650 battery packs 6.0 amp hours of capacity for 648 watt-hours of power to get the job done.



BX975

BX650

OREGON	Description
BX975-UV	BX975 Battery
BX650-UV	BX650 Battery

**BX975**



9 Ah  
972 Wh

5 Hour  
Charge Time

UL & IP56

**BX650**



6 Ah  
648 Wh

3 Hour  
Charge Time

UL & IP56



CD01120VX

## Battery-Tool Power Cable

Featuring automotive-grade weatherized connections for use in any weather, the Oregon Professional Series Battery to Stick Power Cable connects to Oregon Professional Series batteries for all the power and run time the job demands.

OREGON	Description
CD01120VX-NA	Battery-to-Stick Tool Power Cable



UL & IP56

## Battery Charger

The C1600 Battery Charger offers efficient smart charging of 120V Professional Series batteries, actively monitoring battery health to ensure long life and optimal charging. The UL listed low power-draw design allows multiple batteries to charge on one 15 Amp circuit.

OREGON	Description
C1600-NA	Battery Charger



C1600